Architectural Hardware | Frameless Shower-Screen Hardware | Indication Latches and Keepers

INDICATION LATCH FOR SLIDING DOOR







Wall mount strike plate

Interior view


Exterior view

- Suitable for sliding doors from 8 to 12 mm glass thickness
- Installation options: glass-to-wall, glass-to-glass (with the Lock Keeper)
- The red and blue exterior indicator displays if the door is locked or unlocked
- · Material: solid brass
- The Lock comes with a wall-mounted strike plate, screws, anchors, gaskets and allen key
- · The glass must be notched for installation
- · Finish: Chrome





Glass cut-out



Glass to wall

NFK Glazing & Industrial Supplies


- 28 Devlan Street, Mansfield, QLD 4122
- 07 3343 3377
- sales@nfk.com.au
- 42 Tacoma Circuit, Canning Vale, WA 6155
- 08 9455 3866
- wasales@nfk.com.au

Architectural Hardware | Frameless Shower-Screen Hardware | Indication Latches and Keepers


LOCK KEEPER FOR GLASS SIDELIGHT



- Suitable for 8-12 mm glass thickness
- Material: solid brass
- The Lock keeper comes with gaskets
- Finish: Chrome



Glass cut-out



Product	Finish	Code
Indication Latch for Sliding Door	Chrome	19-04113.99
Lock Keeper	Chrome	19-04313.99


NFK Glazing & Industrial Supplies

- 28 Devlan Street, Mansfield, QLD 4122
- 07 3343 3377
- sales@nfk.com.au
- 42 Tacoma Circuit, Canning Vale, WA 6155
- 08 9455 3866
- wasales@nfk.com.au


Architectural Hardware | Frameless Shower-Screen Hardware | Indication Latches and Keepers

INDICATOR LOCK INSTRUCTION

Glass to wall



Glass to Glass



^{07 3343 3377}