

Specialist Suppliers of Quality Glazing Tools & Architectural Hardware

Material Safety Data Sheet

Page 1/10

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Reference number: 21-S812F

Issue date: 06-04-10 Revision date: 08-03-21 Supersedes version of: 09-06-20 Version: 5.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Cutting Fluid Fast Evaporating

Product code : 21-S812F

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use
Use of the substance/mixture : Cutting fluid for glass

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer

NFK Glazing & Industrial Supplies 28 Devlan Street Mansfield, QLD 4122, Australia T +61 7 3343 3377 sales@nfk.com.au

1.4. Emergency telephone number

Country	Organisation/Company	Website	Emergency number	Comment
Australia	Poisons Information Centre	https://www.health.gov.au/ contacts/poisons-information- centre	131 126	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]Mixtures/Substances: SDS EU > 2015: According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

Aspiration hazard, Category 1 H304

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

May be fatal if swallowed and enters airways. Repeated exposure may cause skin dryness or cracking. May cause long lasting harmful effects to aquatic life.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS08

Signal word (CLP) : Danger

Contains : Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, <2% aromatics; Hydrocarbons,

C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics; Hydrocarbons, C11-C14,

isoalkanes, cyclics, aromatics



Specialist Suppliers of Quality Glazing Tools & Architectural Hardware

Material Safety Data Sheet

Page 2/10

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hazard statements (CLP) : H304 - May be fatal if swallowed and enters airways.

Precautionary statements (CLP) : P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER, a doctor.

P331 - Do NOT induce vomiting.

P501 - Dispose of contents and container to a hazardous or special waste collection point.

Extra phrases : For use in industrial installations only.

2.3. Other hazards

Other hazards which do not result in classification : None under normal conditions

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C11-C14, isoalkanes, cyclics, aromatics	EC-No.: 927-285-2 REACH-no: 01-2119480162- 45	50 – 80	Asp. Tox. 1, H304
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics	EC-No.: 926-141-6 REACH-no: 01-2119456620- 43	20 – 50	Asp. Tox. 1, H304
3-butoxypropan-2-ol; propylene glycol monobutyl ether	CAS-No.: 5131-66-8 EC-No.: 225-878-4 EC Index-No.: 603-052-00-8 REACH-no: 01-2119475527- 28	< 10	Eye Irrit. 2, H319 Skin Irrit. 2, H315
Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, <2% aromatics	EC-No.: 920-107-4 REACH-no: 01-2119453414- 43	5 – 10	Asp. Tox. 1, H304

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

: Call a physician immediately.

First-aid measures after inhalation

: Remove person to fresh air and keep comfortable for breathing. Move the affected person away from the contaminated area and into the fresh air. If you feel unwell, seek medical advice.

First-aid measures after skin contact

: Wash with plenty of water/... If skin irritation or rash occurs: Get medical advice/attention. Wash skin with plenty of water.

First-aid measures after eye contact

: Immediately rinse with water for a prolonged period while holding the eyelids wide open. If eye irritation persists: Get medical advice/attention. Rinse eyes with water as a precaution.

First-aid measures after ingestion

: Rinse mouth. Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact Symptoms/effects after ingestion

- : Repeated exposure may cause skin dryness or cracking.
- : May result in aspiration into the lungs, causing chemical pneumonia. Risk of lung oedema.

08-03-21 (Revision date) EN (English) 2/10



Specialist Suppliers of Quality Glazing Tools & Architectural Hardware

Material Safety Data Sheet

Page 3/10

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Foam. Carbon dioxide. Dry powder.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : When heated to decomposition, emits dangerous fumes. Carbon monoxide. Carbon dioxide.

Various hydrocarbon fragments.

5.3. Advice for firefighters

Firefighting instructions : Cool down the containers exposed to heat with a water spray. Contain the extinguishing

fluids by bunding.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Spill area may be slippery.

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe vapours.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Liquid spill: take up in sand, earth, vermiculite. Collect the residue by means of a non-

combustible absorbent material.

Methods for cleaning up : Take up liquid spill into absorbent material. Wash contaminated area with large amounts of

water.

Other information : Dispose of contaminated materials in accordance with current regulations. Dispose of

materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wear personal protective equipment. Ensure good ventilation of the work station. Avoid

contact with skin and eyes. Do not breathe vapours.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Wash contaminated clothing before reuse. Always wash hands after handling the product.

08-03-21 (Revision date) EN (English) 3/10



Specialist Suppliers of Quality Glazing Tools & Architectural Hardware

Material Safety Data Sheet

Page 4/10

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed. Store tightly closed in a dry, cool and well-ventilated place.

Keep away from heat. Protect from sunlight. Keep away from ignition sources. Store locked

up. Store in a well-ventilated place. Keep cool.

Incompatible products : Strong oxidizers.

Storage temperature : 5-40 °C

Special rules on packaging : Keep only in original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):





8.2.2.1. Eye and face protection

No additional information available

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

The protective gloves to be used must comply with the specifications of the regulation 2016/425 and the resultant standard EN 374. Breakthrough time: refer to the recommendations of the supplier

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available



Specialist Suppliers of Quality Glazing Tools & Architectural Hardware

Material Safety Data Sheet

Page 5/10

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour Colourless. characteristic. Odour Odour threshold Not available Melting point : Not applicable : Not available Freezing point **Boiling point** : Not available : Not applicable Flammability : Not available **Explosive limits** Lower explosive limit (LEL) : Not available Upper explosive limit (UEL) : Not available Flash point : > 62 °C ASTM D93 : > 250 ASTM E659 Auto-ignition temperature : Not available Decomposition temperature

pH : Not available Viscosity, kinematic : 2 mm²/s 40°C - ASTM D445

Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50 °C : Not available

Density : 760 – 770 kg/m³ 25°C - ASTM D4052

: Water: Partially soluble

Relative density Not available Relative vapour density at 20 °C : Not available Particle size : Not applicable Particle size distribution : Not applicable Particle shape : Not applicable Particle aspect ratio : Not applicable : Not applicable Particle aggregation state : Not applicable Particle agglomeration state Particle specific surface area Not applicable Particle dustiness Not applicable

9.2. Other information

Solubility

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

Other properties : Pour point : < -20°C (ASTM D97)

SECTION 10: Stability and reactivity

10.1. Reactivity

To our knowledge, the product does not present any particular risk, under normal conditions of use.

10.2. Chemical stability

Stable in use and storage conditions as recommended in item 7.

10.3. Possibility of hazardous reactions

No dangerous reactions known.



Specialist Suppliers of Quality Glazing Tools & Architectural Hardware

Material Safety Data Sheet

Page 6/10

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

10.4. Conditions to avoid

Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Strong oxidizers.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, <2% aromatics

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

LD50 oral rat	> 5000 mg/kg OCDE 401	
LD50 dermal rabbit	> 5000 mg/kg OCDE 402	
LC50 Inhalation - Rat	> 5000 mg/m³ (4h) - OCDE 403	
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics		
LD50 oral rat	> 5000 mg/kg OCDE 401	
LD50 dermal rabbit	> 5000 mg/kg OCDE 402	
LC50 Inhalation - Rat	> 5000 mg/m³ 8h - OCDE 403	
3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8)		

3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8)	
LD50 oral rat	3300 mg/kg OCDE 401
LD50 dermal rabbit	> 2000 mg/kg OCDE 402
LC50 Inhalation - Rat (Vapours)	> 3,5 mg/l/4h OCDE 402

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met) Serious eye damage/irritation : Not classified (Based on available data, the classification criteria are not met) Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met) Germ cell mutagenicity Not classified (Based on available data, the classification criteria are not met) Carcinogenicity Not classified (Based on available data, the classification criteria are not met) Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met) STOT-single exposure : Not classified (Based on available data, the classification criteria are not met) STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)

Aspiration hazard : May be fatal if swallowed and enters airways.

Cutting Fluid Fast Evaporating	
Viscosity, kinematic	2 mm²/s 40°C - ASTM D445

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : May cause long lasting harmful effects to aquatic life. May cause long lasting harmful effects to aquatic life.



Specialist Suppliers of Quality Glazing Tools & Architectural Hardware

Material Safety Data Sheet

Page 7/10

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term

: Not classified

(chronic)

(Citionic)		
Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, <2% aromatics		
LC50 - Fish [1]	1000 mg/l Oncorhynchus mykiss	
EC50 - Crustacea [1]	1000 mg/l Daphnia magna	
EC50 72h - Algae [1]	1000 mg/l Pseudokirchneriella subcapitata	
NOEC chronic algae	1000 mg/l Pseudokirchneriella subcapitata	
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics		
LC50 - Fish [1]	1000 mg/l Oncorhynchus mykiss	
EC50 - Crustacea [1]	1000 mg/l Daphnia magna	
EC50 72h - Algae [1]	1000 mg/l Pseudokirchneriella subcapitata	
3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8)		
LC50 - Fish [1]	560 – 1000 mg/l Poecilia reticulata - OCDE 203	
EC50 - Crustacea [1]	> 1000 mg/l Daphnia magna - OCDE 202	
EC50 72h - Algae [1]	> 1000 mg/l Pseudokirchneriella subcapitata - OCDE 201	

12.2. Persistence and degradability

Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, <2% aromatics	
Persistence and degradability	Readily biodegradable.
Biodegradation	67,6 % 28d

12.3. Bioaccumulative potential

Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, <2% aromatics		
Partition coefficient n-octanol/water (Log Pow) > 4		
3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8)		
Partition coefficient n-octanol/water (Log Pow) 1,2		

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

08-03-21 (Revision date) EN (English) 7/10



Specialist Suppliers of Quality Glazing Tools & Architectural Hardware

Material Safety Data Sheet

Page 8/10

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

 UN-No. (ADR)
 : Not regulated

 UN-No. (IMDG)
 : Not regulated

 UN-No. (IATA)
 : Not regulated

 UN-No. (ADN)
 : Not regulated

 UN-No. (RID)
 : Not regulated

14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not regulated Proper Shipping Name (IMDG) : Not regulated Proper Shipping Name (IATA) : Not regulated Proper Shipping Name (ADN) : Not regulated Proper Shipping Name (RID) : Not regulated

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not regulated

IMDG

Transport hazard class(es) (IMDG) : Not regulated

IATA

Transport hazard class(es) (IATA) : Not regulated

ADN

Transport hazard class(es) (ADN) : Not regulated

RID

Transport hazard class(es) (RID) : Not regulated

14.4. Packing group

Packing group (ADR) : Not regulated Packing group (IMDG) : Not regulated Packing group (IATA) : Not regulated Packing group (ADN) : Not regulated Packing group (RID) : Not regulated Packing group (RID) : Not regulated

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated



Specialist Suppliers of Quality Glazing Tools & Architectural Hardware

Material Safety Data Sheet

Page 9/10

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BLV	Biological limit value	
CAS-No.	Chemical Abstract Service number	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC50	Median effective concentration	
EC-No.	European Community number	
EN	European Standard	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	



Specialist Suppliers of Quality Glazing Tools & Architectural Hardware

Material Safety Data Sheet

Page 10/10

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Abbreviations and acronyms	
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative
WGK	Water Hazard Class

Data sources

: SDS of suppliers. ECHA (European Chemicals Agency).

Full text of H- and EUH-statements	
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H319	Causes serious eye irritation.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.



08-03-21 (Revision date) EN (English) 10/10

